

Datasheet Getac ZX80 Tablet

TESTUMGEBUNG - nicht die Live-Seite. [Zur Live-Seite](#)

Brand: Getac · Device class: Tablet

✉ kontakt@robustbook.com

☎ +49 (0) 69 271 470 985



This overview was compiled from the information published on robustbook.com and is **not a manufacturer datasheet**. The manufacturer's own specifications are the binding source.
As at: 08 August 2026.

A manufacturer datasheet for the Getac ZX80 is available (Getac, as at 06 August 2026); it is linked below: [Getac_ZX80_EN_Product.pdf →](#)

Core data

Display size	8 inch
Resolution	WUXGA (1920 x 1200)
IP rating	IP67
MIL-STD	MIL-STD-810H
Brightness	1,000 nits [1]
Processor	Qualcomm® QCS6490, octa-core, 1.9 GHz (up to 2.7 GHz)
Memory and storage	12 GB LPDDR5 RAM · 256 GB UFS
Battery	Internal battery 3.86 V, typical 4,060 mAh (min. 3,950 mAh); replaceable battery options up to 9,980 mAh
Weight	590 g
Operating temperature	-29 °C to 63 °C
Interfaces	1× combined audio connector · 1× USB 3.2 Gen 1 Type-C (with display output)

Configurable

[Yes, on request](#)

[manufacturer datasheet](#)

[product page](#)

Data note (contradiction resolved):

1. Brightness: Until 08 August 2026, the [comparison table: tablets](#) [\(German\)](#) gave no value (field empty), while the [product page](#) stated "1,000-nit LumiBond® display". The manufacturer datasheet (Getac, as at 06 August 2026) confirms under "Display": "1,000 nits display with Getac sunlight readable technology"; the product page was correct. This is now resolved.

Features and options

Excerpt from the manufacturer description on the product page. No configurator available, no prices.

- Operating system: Android™ 15.0
- Touchscreen: capacitive, optional dual-mode touchscreen (touch and digitizer)
- Expansion slot: optional 1D/2D imaging barcode reader, optional NFC
- Connectivity: Wi-Fi 6E 802.11ax, Bluetooth v5.2, optional dual SIM (nano-SIM 2FF and eSIM), optional 4G LTE, optional 5G Sub-6, optional GPS
- Cameras: 8 MP front camera, 16 MP autofocus rear camera
- Certifications per manufacturer description: MIL-STD-810H, IP67; drops from up to 1.80 m height; optional ANSI/UL 121201, CSA C22.2 No. 213 (Class I, Division 2)

Further links

- [Product page Getac ZX80](#)
- [Comparison table: tablets](#)
- Industries: [Industry](#) · [Logistics](#) · [Public safety](#)

Robustbook GmbH

Document status: 08 August 2026. This overview is not a manufacturer datasheet (see the note above); the manufacturer's own specifications are the binding source.

[Imprint](#)

[Terms & Conditions](#)

[Privacy Policy](#)

[Adjust cookie preferences](#)

Company

 [About Us](#)

 [Brands](#)

 [Retailer](#)

 [Contact](#)

 [Rugged Buying Checklist](#)

Tablets

DURABOOK [R11](#)

DURABOOK [R11L](#)

DURABOOK [U111](#)

Notebooks

DURABOOK [S15](#)

DURABOOK [S14I](#)

DURABOOK [Z14I](#)

Industries

 [Workshop](#)

 [Military](#)

 [Industry](#)

 [Public Safety](#)

 [Transport](#)

 [Logistics](#)

 [Construction](#)

 [Forestry & Agriculture](#)

 [Outdoor](#)

Copyright © 2026 Robustbook GmbH

Website built with ♥ by [Bitblade Solutions](#)